

Name: \_\_\_\_\_

# Big Bend Community College

## Emporium Model Math 98 Course Workbook

A workbook to supplement  
video lectures and online homework by:

Tyler Wallace  
Salah Abed  
Sarah Adams  
Mariah Helvy  
April Mayer  
Michele Sherwood

This project was made possible in part by a federal STEM-HSI grant under Title III part F and by the generous support of Big Bend Community College and the Math Department.

Copyright 2019, Some Rights Reserved CC-BY-NC-SA. This work is a combination of original work and a derivative of Prealgebra Workbook, Beginning Algebra Workbook, and Intermediate Algebra Workbook by Tyler Wallace, which all hold a CC-BY License. Cover art by Sarah Adams with CC-BY-NC-SA license.



Emporium Model Math Courses Workbook by Wallace, Abed, Adams, Helvy, Mayer, Sherwood is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License (<http://creativecommons.org/licenses/by-nc-sa/3.0/>)

You are free:

- To share: To copy, distribute and transmit the work
- To Remix: To adapt the work

Under the following conditions:

- Attribution: You must attribute the work in the manner specified by the authors or licensor (but not in any way that suggests that they endorse you or your use of the work).
- Noncommercial: You may not use this work for commercial purposes.
- Share Alike: If you alter, transform, or build upon this work, you may distribute the resulting work only under the same or similar license to this one.

With the understanding that:

- Waiver: Any of the above conditions can be waived if you get permission from the copyright holder
- Public Domain: Where the work or any of its elements is in the public domain under applicable law, that status is in no way affected by the license.
- Other rights: In no way are any of the following rights affected by the license:
  - Your fair dealing or fair use rights, or other applicable copyright exceptions and limitations;
  - The author's moral rights;
  - Rights other persons may have either in the work itself or in how the work is used, such as publicity or privacy rights

# Conversion Factors

LENGTH	
<p><b>English</b></p> <p>12 in = 1 ft 3 ft = 1 yd 1 mi = 5280 ft</p>	<p><b>Metric (meter)</b></p> <p>1000 mm = 1 m 100 cm = 1 m 10 dm = 1 m 1 dam = 10 m 1 hm = 100 m 1 km = 1000 m</p>
<p><b>English to Metric</b></p> <p>1 in = 2.54 cm</p>	

TEMPERATURE
$C = \frac{5(F - 32)}{9}$
$F = \frac{9}{5}C + 32$











VOLUME	
<p><b>English</b></p> <p>8 fl oz = 1 cup (c) 2 cups (c) = 1 pint (pt) 2 pints (pt) = 1 quart (qt) 4 quarts (qt) = 1 gallon (gal)</p>	<p><b>Metric (liter)</b></p> <p>1000 mL = 1 L 100 cL = 1 L 10 dL = 1 L 1 daL = 10 L 1 hL = 100 L 1 kL = 1000 L 1 mL = 1 cc = 1 cm<sup>3</sup></p>
<p><b>English to Metric</b></p> <p>1 gallon (gal) = 3.79 liter (L) 1 in<sup>3</sup> = 16.39 mL</p>	

TIME
<p>60 seconds (sec) = 1 minute (min) 60 minutes (min) = 1 hour (hr) 24 hours (hr) = 1 day 52 weeks = 1 year 365 days = 1 year</p>

WEIGHT (MASS)	
<p><b>English</b></p> <p>16 oz = 1 pound (lb) 2,000 lb = 1 Ton (T)</p>	<p><b>Metric (gram)</b></p> <p>1000 mg = 1 g 100 cg = 1 g 10 dg = 1 g 1 dag = 10 g 1 hg = 100 g 1 kg = 1000 g</p>
<p><b>English to Metric</b></p> <p>2.20 lb = 1 kg</p>	

INTEREST
<p>Simple: <math>I = Prt</math> Continuous: <math>A = Pe^{rt}</math> Compound: <math>A = P\left(1 + \frac{r}{n}\right)^{nt}</math> Annual: <math>n = 1</math> Semiannual: <math>n = 2</math> Quarterly: <math>n = 4</math></p>

# Geometric Formulas

Name	Diagram	Area
Rectangle		$A = lw$ $P = 2l + 2w$
Parallelogram		$A = bh$
Triangle		$A = \frac{1}{2}bh$
Trapezoid		$A = \frac{1}{2}h(a + b)$
Circle		$A = \pi r^2$ $C = \pi d = 2\pi r$
Name	Diagram	Volume
Rectangular Solid		$V = lwh$
Right Circular Cylinder		$V = \pi r^2 h$
Right Circular Cone		$V = \frac{1}{3}\pi r^2 h$
Sphere		$V = \frac{4}{3}\pi r^3$
Right Triangle		
Pythagorean Theorem: $a^2 + b^2 = c^2$		

# Table of Contents

Emporium Model Math 98 Course Workbook.....	1
Conversion Factors.....	3
Geometric Formulas.....	4
Unit 7:.....	10
7.1 Order of Operations.....	11
7.1a The Order.....	11
7.1b Lots of Parentheses.....	12
7.1c Fractions.....	13
7.1d Absolute Value.....	14
7.2 Evaluate and Simplify Algebraic Expressions.....	15
7.2a Substitute a Value.....	15
7.2b Combine Like Terms.....	16
7.2c Distributive Property.....	17
7.2d Distribute and Combine Like Terms.....	18
7.3 Solve Linear Equations.....	19
7.3a Variable on Both Sides.....	19
7.3b Simplify First.....	20
7.3c Fractions.....	21
7.3d Special Cases.....	22
7.4 Formulas.....	24
7.4a Two Step Formulas.....	24
7.4b Multi-Step Formulas.....	25
7.4c Fractions and Formulas.....	26
7.5 Word Problems.....	27
7.5a Using Formulas.....	27
7.5b Number.....	28
7.5c Consecutive Integers.....	29
7.6 More Word Problems.....	30
7.6a Triangles.....	30
7.6b Perimeter.....	31
7.6c Age Problems.....	32
<b>Unit 8:</b> .....	<b>33</b>
8.1 Slope.....	34

8.1a Graphing Points and Lines.....	34
8.1b Slope from Graph.....	35
8.1c Slope from Points.....	36
8.2 Equations of Lines.....	37
8.2a Slope-Intercept Equation.....	37
8.2b Equation Through a Point.....	38
8.2c Put in Slope-Intercept Form.....	39
8.2d Graph a Linear Equation.....	40
8.2e Given Two Points.....	41
8.3 Line of Best Fit.....	42
8.3a Scatter Plot.....	42
8.3b Centroid.....	43
8.3c Estimate the Line.....	44
8.4 Parallel and Perpendicular Lines.....	45
8.4a Slopes.....	45
8.4b Parallel Equations.....	46
8.4c Perpendicular Equations.....	47
8.5 Systems by Graphing.....	48
8.5a Solutions.....	48
8.5b Solve with Intercept Form.....	49
8.5c Break-even Point.....	50
Unit 9:.....	51
9.1 Exponents.....	52
9.1a Product Rule.....	52
9.1b Quotient Rule.....	53
9.1c Power Rules.....	54
9.1d Zero Exponent.....	55
9.1e Negative Exponents.....	56
9.1f Properties.....	57
9.2 Scientific Notation.....	58
9.2a Convert Scientific and Standard Notation.....	58
9.2b Almost Scientific Notation.....	59
9.2c Multiply or Divide.....	60
9.2d Multiply or Divide where Answer is not in Scientific Notation.....	61

9.2e Multiply and Divide .....	62
9.3 Advanced Scientific Notation .....	63
9.3a Using the Calculator .....	63
9.3b Entering Exponents .....	64
9.3c Order of Operations .....	65
9.4 Add, Subtract, Multiply Polynomials.....	66
9.4a Evaluate.....	66
9.4b Add.....	67
9.4c Multiply Monomial by Polynomial .....	68
9.4d Multiply Binomials .....	69
9.4e Multiply Trinomials .....	70
9.4f Multiply Monomials and Binomials .....	71
9.4g Multiply Sum and Difference .....	72
9.4h Perfect Squares .....	73
9.5 Polynomial Long Division .....	74
9.5a Division by Monomials .....	74
9.5b Review Long Division .....	75
9.5c Division by Binomial .....	76
9.5d Division with Missing Term .....	77
Unit 10:.....	79
10.1 Factor Common Factors and Grouping.....	80
10.1a Find a GCF.....	80
10.1b Factor a GCF .....	81
10.1c Binomial GCF .....	82
10.1d Grouping .....	83
10.1e Grouping with Change of Order.....	84
10.2 Factor Trinomials .....	85
10.2a Reverse FOIL.....	85
10.2b Two Variables.....	86
10.2c With GCF.....	87
10.2d Without a Leading Coefficient .....	88
10.2e Introduction to Radicals .....	89
10.2f Radicals and Fractional Exponents .....	90
10.3 Factoring Tricks .....	91

10.3a Perfect Squares .....	91
10.3b Difference of Squares.....	92
10.3c Sum of Squares.....	93
10.3d Sum and Difference of Cubes.....	94
10.3e Difference of 4 <sup>th</sup> Powers.....	95
10.3f Difference of 6 <sup>th</sup> Powers .....	96
10.3g With GCF .....	97
10.4 Factoring Strategy .....	98
10.5 Solving Equations by Factoring .....	99
10.5a Zero Product Rule.....	99
10.5b Solve by Factoring .....	100
10.5c Must Equal Zero .....	101
10.5d Simplify First.....	102
10.5e GCFs as Factors .....	103
10.5f Factoring the Variable.....	104
10.6 Quadratic Formula .....	105
10.6a Using the Formula .....	105
10.6b Make Equation Equal Zero.....	106
10.6c Missing Terms.....	107
Unit 11:.....	108
11.1 Evaluate Functions .....	109
11.1a Evaluate Functions – Functions.....	109
11.1b Function Notation .....	110
11.1c Evaluate Function at an Expression.....	111
11.1d Domain.....	112
11.2 Exponential Equations .....	114
11.2a With Common Base.....	114
11.2b Find a Common Base.....	115
11.2c With Negative Exponents .....	116
11.3 Logarithms .....	117
11.3a Convert Between Logs and Exponents.....	117
11.3b Evaluate Logs .....	118
11.3c Solve Log Equations.....	119
11.3d pH.....	120




11.4 Graphs of Exponential and Logarithmic Functions .....	121
11.4a Exponential Functions .....	121
11.4b More Graphs of Exponential Functions .....	122
11.4c Exponential Growth and Decay .....	123
11.4d Logarithmic Function Graphs .....	124
11.5 Interest .....	126
11.5a N Compound a Year .....	126
11.5b Continuous Interest .....	127
11.6 Dimensional Analysis .....	130
11.6a U.S. Customary .....	130
11.6b Metric .....	131
11.6c Metric $\leftrightarrow$ U.S. Customary .....	132
11.6d Higher Powers .....	133
11.6e Area/Volume Units .....	134
11.7 Applied Dimensional Analysis .....	135
11.7a Dual Unit Conversions .....	135
11.7b Rates .....	136
11.7c Chemistry Applications .....	137
11.7d Physics Applications .....	138
Unit 12: .....	139

# Unit 7:

## Linear Equations and Applications

To work through the unit, you should:

1. Watch a video, as you watch, fill out the workbook (top and example sections).
2. Complete Q1 and Q2 in WAMAP, put your work in the right column of the page.
3. Repeat #1 and #2 with each page until you reach the .
4. Complete the homework assignment on your own paper.
5. Repeat #1 thru #4 until you reach the end of the unit.
6. Complete the review/practice test on your own paper.
7. Take the unit exam.

## 7.1 Order of Operations

### 7.1a The Order

The Order:

- 1.
- 2.
- 3.
- 4.

To remember:

---

**Example 1:**

$$5 - 3(2 + 4^2)$$

**Q1:**

---

**Example 2:**

$$30 \div 5(-2) + (4 - 7)^2$$

---

**Q2:**

## 7.1b Lots of Parentheses

Different types of parenthesis:

Always do \_\_\_\_\_ first!

---

**Example 1:**

$$(4 + 2) - [5^2 \div (2 + 3)]$$

**Q1:**

---

**Example 2:**

$$7\{2 + 2[20 \div (4 + 6)]\}$$

---

**Q2**

## 7.1c Fractions

When simplifying fractions, always simplify \_\_\_\_\_ and \_\_\_\_\_ first.

Only reduce after the rest has been \_\_\_\_\_.

---

**Example 1:**

$$\frac{(4+5)(2-9)}{2^3-(2^2+3)}$$

**Q1:**

---

**Example 2:**

$$\frac{-4^2-(4+2 \cdot 3)}{5+3(5-4)}$$

---

**Q2:**

## 7.1d Absolute Value

Absolute values work just like \_\_\_\_\_ but makes the number inside \_\_\_\_\_ after it has been \_\_\_\_\_.

---

**Example 1:**

$$-3|2^4 - (5 + 4)^2|$$

**Q1:**

---

**Example 2:**

$$2 - 4|3^2 + (5^2 - 6^2)|$$

---

**Q2:**



You have completed the videos for 7.1 Order of Operations. On your own paper, complete the homework assignment.

## 7.2 Evaluate and Simplify Algebraic Expressions

### 7.2a Substitute a Value

Replace the \_\_\_\_\_ with what it \_\_\_\_\_.

Whenever we make a substitution or \_\_\_\_\_ put it in \_\_\_\_\_.

---

#### Example 1:

Evaluate  $4x^2 - 3x + 2$   
When  $x = -3$

#### Q1:

---

#### Example 2:

Evaluate  $4b(2x + 3y)$   
When  $b = -2, x = 5, y = -7$

---

#### Q2:

## 7.2b Combine Like Terms

Terms are \_\_\_\_\_ and \_\_\_\_\_ that are \_\_\_\_\_ together.

Like terms are terms that have matching \_\_\_\_\_ and \_\_\_\_\_.

Combine like terms: \_\_\_\_\_ the coefficients from the \_\_\_\_\_.

---

**Example 1:**

$$4x^3 - 2x^2 + 5x^3 + 2x - 4x^2 - 6x$$

**Q1:**

---

**Example 2:**

$$4y - 2x + 5 - 6y + 7y - 9$$

---

**Q2:**



## 7.2c Distributive Property

Distributive Property:  $a(b+c)=$

---

**Example 1:**

$$-2(5x - 4y + 3)$$

**Q1:**

---

**Example 2:**

$$4(7x^2 - 6x + 1)$$

---

**Q2:**

## 7.2d Distribute and Combine Like Terms

Order of operations states we \_\_\_\_\_ before we \_\_\_\_\_.

Therefore, we will \_\_\_\_\_ first and then \_\_\_\_\_ second.

---

**Example 1:**

$$4(3x - 7) - 7(2x - 1)$$

**Q1:**

---

**Example 2:**

$$2(7x - 3) - (8x + 9)$$

---

**Q2:**



You have completed the videos for 7.2 Evaluate and Simplify Algebraic Expressions. On your own paper, complete the homework assignment.

## 7.3 Solve Linear Equations

### 7.3a Variable on Both Sides

Move the variable to one side by \_\_\_\_\_.

Solve remaining two step equation by \_\_\_\_\_ first and \_\_\_\_\_ second.

---

**Example 1:**

$$-3x + 4 = 16 - 8x$$

**Q1:**

---

**Example 2:**

$$2x - 7 = 8x - 9$$

---

**Q2:**

### 7.3b Simplify First

The first step of solving is to \_\_\_\_\_ each side \_\_\_\_\_.

We can simplify by \_\_\_\_\_ and \_\_\_\_\_.

---

**Example 1:**

$$3(2x - 6) + 8 = 17$$

**Q1:**

---

**Example 2:**

$$12x - 5(3x - 1) = 4 + 3(2x + 1)$$

---

**Q2:**

## 7.3c Fractions

Clear fractions by \_\_\_\_\_ by the \_\_\_\_\_.

Be sure to multiply \_\_\_\_\_ term on \_\_\_\_\_ sides.

---

**Example 1:**

$$\frac{3}{4}x - \frac{1}{2} = \frac{5}{6}$$

**Q1:**

---

**Example 2:**

$$\frac{3}{5}x - \frac{7}{10} = -4 + \frac{7}{15}x$$

---

**Q2:**

### 7.3d Special Cases

Sometimes the variable \_\_\_\_\_!

This means there is either \_\_\_\_\_ or \_\_\_\_\_.

---

**Example 1:**

$$2x + 5 = 2x - 1$$

**Example 3:**

$$6x + 2 = 3(2x + 1)$$

---

**Example 2:**

$$3x - 9 = 3(x - 3)$$

---

**Example 4:**

$$4x + 1 = 2(2x + 3) - 5$$

Q1

Q2



You have completed the videos for 7.3 Solve Linear Equations. On your own paper, complete the homework assignment.

7.4 Formulas  
7.4a Two Step Formulas

Solving formulas: Treat other variables like \_\_\_\_\_.

Final answer is an \_\_\_\_\_.

Example:  $3x = 15$  and  $wx = y$

---

**Example 1:**

Solve  $wx + b = y$  for  $x$

**Q1:**

---

**Example 2:**

Solve  $ab + 5y = wx + y$  for  $b$

---

**Q2:**



## 7.4b Multi-Step Formulas

Strategy:

IMPORTANT: Terms \_\_\_\_\_ reduce.

---

**Example 1:**

Solve  $a(3x + b) = by$  for  $x$

**Q1:**

---

**Example 2:**

Solve  $3(a + 2b) + 5b = -2a + b$  for  $a$

---

**Q2:**

## 7.4c Fractions and Formulas

Clear fractions by \_\_\_\_\_.

---

**Example 1:**

$$\text{Solve } \frac{5}{x} + 4a = \frac{b}{x} \text{ for } x$$

**Q1:**

---

**Example 2:**

$$\text{Solve } A = \frac{1}{2}hb_1 + \frac{1}{2}hb_2 \text{ for } b_1$$

---

**Q2:**



You have completed the videos for 7.4 Formulas. On your own paper, complete the homework assignment.

## 7.5 Word Problems

### 7.5a Using Formulas

Formulas usually have a set \_\_\_\_\_.

---

#### Example 1:

A financial manager has determined that the cost per unit for a calculator is \$15 and that the fixed costs per month are \$2000. Find the number of calculators produced during a month in which the total cost was \$5000.

#### Q1:

---

#### Example 2:

The principal is \$400, and the time is 2 years. Find the simple interest rate, when the interest is \$120.

---

#### Q2:

## 7.5b Number

Translate:

- Is/Were/Was/Will Be:
- More than:
- Subtracted from/Less than:

---

**Example 1:**

Five less than three times a number is nineteen.  
What is the number?

**Q1:**

---

**Example 2:**

Seven more than twice a number is six less than  
three times the same number. What is the  
number?

---

**Q2:**

## 7.5c Consecutive Integers

Consecutive Numbers:

First:

Second:

Third:

---

**Example 1:**

Find three consecutive numbers whose sum is 543.

**Q1:**

---

**Example 2:**

Find four consecutive integers whose sum is  $-222$ .

---

**Q2:**



You have completed the videos for 7.5 Word Problems. On your own paper, complete the homework assignment.

## 7.6 More Word Problems

### 7.6a Triangles

The angles of a triangle add to \_\_\_\_\_.

---

#### **Example 1:**

Two angles of a triangle are the same measure. The third angle is 30 degrees less than the first. Find the three angles.

**Q1:**

---

#### **Example 2:**

The second angle of a triangle measures twice the first. The third angle is 30 degrees more than the second. Find the three angles.

---

**Q2:**

## 7.6b Perimeter

Formula for perimeter of a rectangle:

Width is the \_\_\_\_\_ side.

---

### Example 1:

A rectangle is three times as long as it is wide. If the perimeter is 112 cm, what is the length?

Q1:

---

### Example 2:

The width of a rectangle is 6 cm less than the length. If the perimeter is 52 cm, what is the width?

---

Q2:

## 7.6c Age Problems

Table:

Equation is always for the \_\_\_\_\_.

---

### Example 1:

Alexis is five years younger than Brian. In seven years, the sum of their ages will be 49 years. How old is each now?

Q1:

---

### Example 2:

Maria is ten years older than Sonia. Eight years ago, Maria was three times Sonia's age. How old is each now?

---

Q2:



**You have completed the videos for 7.6 More Word Problems. On your own paper, complete the homework assignment.**




**Congratulations! You made it through the material for Unit 7: Linear Equations and Applications. It is time to prepare for your exam. On a separate sheet of paper, complete the review/practice test. Once you have completed the review/practice test, ask your instructor to take the test. Good luck!**



# Unit 8:

## Graphing Linear Equations and Solving Systems of Equations


To work through the unit, you should:

1. Watch a video, as you watch, fill out the workbook (top and example sections).
2. Complete Q1 and Q2 in WAMAP, put your work in the right column of the page.
3. Repeat #1 and #2 with each page until you reach the .
4. Complete the homework assignment on your own paper.
5. Repeat #1 thru #4 until you reach the end of the unit.
6. Complete the review/practice test on your own paper.
7. Take the unit exam.

## 8.1 Slope

### 8.1a Graphing Points and Lines

The Coordinate Plane:



Give \_\_\_\_\_ to a point going \_\_\_\_\_ then \_\_\_\_\_ as \_\_\_\_\_.


If we have an equation, we can pick values for \_\_\_\_\_ and find values for \_\_\_\_\_.

---


**Example 1:**

Graph the points

$(-2,3), (4,-1), (-2,-4), (0,3), (-1,0)$  and  $(3,4)$




**Q1:**




**Example 2:**

Graph the line  $y = 2x - 1$






**Q2:**




# 8.1b Slope from Graph

Slope:


Negative Slope:  Positive Slope:  Big Slope:  Small Slope: 

**Example 1:**

Find the Slope




**Q1:**




**Example 2:**

Find the Slope



**Q2:**



## 8.1c Slope from Points

Slope Equation:

---

**Example 1:**

Find the slope between  $(7,2)$  and  $(11,4)$

**Q1:**

---

**Example 2:**

Find the slope between  $(-2,-5)$  and  $(-17,4)$

---


**Q2:**



You have completed the videos for 8.1 Slope. On your own paper, complete the homework assignment.

8.2 Equations of Lines  
8.2a Slope-Intercept Equation

Slope Intercept Equation:




**Example 1:**

Give the equation of the line with  
a slope of  $-\frac{3}{4}$  and a y-intercept of 2

**Q1**

**Example 2:**

Give the equation of the graph:



**Q2:**

## 8.2b Equation Through a Point

To find the y-intercept we use \_\_\_\_\_ and solve for \_\_\_\_\_.

---

### Example 1:

Give the equation of the line that passes through  $(6, -2)$  and has a slope of 4.

### Q1:

---

### Example 2:

Give the equation of the line that passes through  $(-3, 5)$  and has a slope of  $-\frac{2}{3}$ .

---

### Q2:

## 8.2c Put in Slope-Intercept Form

We may have to put the equation in \_\_\_\_\_.

To do this we \_\_\_\_\_.

---

### Example 1:

Give the slope and y-intercept  
 $5x + 8y = 16$

Q1:

---

### Example 2:

Give the slope and y-intercept  
 $-3x + 2y = 8$

---

Q2:

## 8.2d Graph a Linear Equation

We can graph an equation by identifying the \_\_\_\_\_ and \_\_\_\_\_.


Start at the \_\_\_\_\_ and use the \_\_\_\_\_ for changing to the next point.

Remember slope is \_\_\_\_\_ over \_\_\_\_\_.


---

### Example 1:

Graph  $y = -\frac{3}{4}x + 2$




### Q1:




### Example 2:

Graph  $3x - 2y = 2$



### Q2:





## 8.2e Given Two Points

To find the equation of a line you must have the \_\_\_\_\_.

Recall the slope formula:

To find the y-intercept we use \_\_\_\_\_ and solve for \_\_\_\_\_.

---

### Example 1:

Find the equation of the line  
through  $(-3, -5)$  and  $(2, 5)$

Q1:

---

### Example 2:

Find the equation of the line  
through  $(1, -4)$  and  $(3, 5)$

---

Q2:



You have completed the videos for 8.2 Equations of Lines. On your own paper, complete the homework assignment.

## 8.3 Line of Best Fit

### 8.3a Scatter Plot

Scatterplot: \_\_\_\_\_ of \_\_\_\_\_

Recall:  $(x,y)$  where  $x =$  \_\_\_\_\_  $y =$  \_\_\_\_\_

---

#### Example 1:

$x$	$y$
2	4
1	6
4	1
3	3

Q1:

---

#### Example 2:

Age	Height
5	38
8	45
11	51
14	55

Q2:

---

## 8.3b Centroid

The Centroid of a scatterplot uses \_\_\_\_\_ of \_\_\_\_\_ and \_\_\_\_\_ of \_\_\_\_\_.

Notation for Centroid: \_\_\_\_\_

Average: \_\_\_\_\_

---

### Example 1:

Age	Height
5	38
8	45
11	51
14	55

Q1:

---

### Example 2:

$x$	$y$
3	7
11	2
4	6

Q2:

---

### 8.3c Estimate the Line

Line of Best Fit \_\_\_\_\_ the \_\_\_\_\_ of a \_\_\_\_\_.

Key point on the line of best fit is the \_\_\_\_\_.

For the slope we will \_\_\_\_\_ the trend of the data.

---

#### Example 1:

Estimate the line of best fit through the points and estimate its equation:

x	y
2	1
2	3
3	1
3	4
4	3
5	5

---

Q1:

Q2:




You have completed the videos for 8.3 Line of Best Fit. On your own paper, complete the homework assignment.

## 8.4 Parallel and Perpendicular Lines


### 8.4a Slopes

Parallel Lines:




Slope:

Perpendicular Lines:



Slope:

Neither:



---

#### Example 1:

One line goes through  $(5,2)$  and  $(7,5)$ . Another line goes through  $(-2,-6)$  and  $(0,-3)$ . Are the lines parallel, perpendicular, or neither?

---

#### Example 2:

One line goes through  $(-4,1)$  and  $(-1,3)$ . Another line goes through  $(2,-1)$  and  $(6,-7)$ . Are the lines parallel, perpendicular, or neither?

---

#### Example 3:

One line goes through  $(3,7)$  and  $(-6,-8)$ . Another line goes through  $(5,2)$  and  $(-5,-4)$ . Are the lines parallel, perpendicular, or neither?

Q1:

---

Q2:

## 8.4b Parallel Equations

Parallel lines have the \_\_\_\_\_ slope.

Once we know the slope and a point, we can use the formula:

---

### Example 1:

Find the equation of the line parallel to the line  
 $y = -\frac{3}{4}x + 2$  that goes through the point  $(-8, 1)$

Q1:

---

### Example 2:

Find the equation of the line parallel to the line  
 $2x - 5y = 3$  that goes through the point  $(5, 3)$

---

Q2:

## 8.4c Perpendicular Equations

Perpendicular lines have \_\_\_\_\_ slopes.

Once we know the slope and a point, we can use the formula:

---

### Example 1:

Find the equation of the line perpendicular to the line  $y = 5x + 1$  that goes through the point  $(-5, 2)$

Q1:

---

### Example 2:

Find the equation of the line perpendicular to the line  $3x + 2y = 5$  that goes through the point  $(-3, -4)$

Q2:



You have completed the videos for 8.4 Parallel and Perpendicular Lines. On your own paper, complete the homework assignment.

## 8.5 Systems by Graphing

### 8.5a Solutions

The points on a line are the \_\_\_\_\_ to the equation.


The intersection of two lines is the \_\_\_\_\_ to both equations!

Other options: \_\_\_\_\_ lines have \_\_\_\_\_ solutions. \_\_\_\_\_ lines have \_\_\_\_\_ solutions.

---


#### Example 1:

What is the solution for both lines?




#### Example 3:

What is the solution for both lines?



#### Example 2:

What is the solution for both lines?



#### Q1:



### 8.5b Solve with Intercept Form


To graph lines, remember the equation \_\_\_\_\_.

Start with the \_\_\_\_\_ or \_\_\_\_ and use the \_\_\_\_\_ or \_\_\_\_ to find the next point.


---

**Example 1:**

$$y = -\frac{2}{3}x + 3$$
$$y = 2x - 5$$




**Q1:**




**Example 2:**

$$2x - y = -4$$
$$x + y = 1$$



**Q2:**



## 8.5c Break-even Point

The break-even point is where the curves for supply and demand \_\_\_\_\_.

---

### Example 1:

Monthly demand for Greeny Babies is given by the equation  $y = 8000 - 400x$ , while monthly supply is given by  $y = 400x$ . At what price will supply equal demand?

Q1:

---

### Example 2:

The demand of a product is modeled by  $N = -20p + 1000$ . The supply for the product by  $N = 5p + 250$ . At what price will supply equal demand?

Q2:

---



You have completed the videos for 8.5 Systems by Graphing. On your own paper, complete the homework assignment.




Congratulations! You made it through the material for Unit 8: Graphing Linear Equations and Solving Systems of Equations. It is time to prepare for your exam. On a separate sheet of paper, complete the review/practice test. Once you have completed the review/practice test, ask your instructor to take the test. Good luck!

# Unit 9:

# Polynomials

To work through the unit, you should:

1. Watch a video, as you watch, fill out the workbook (top and example sections).
2. Complete Q1 and Q2 in WAMAP, put your work in the right column of the page.
3. Repeat #1 and #2 with each page until you reach the .
4. Complete the homework assignment on your own paper.
5. Repeat #1 thru #4 until you reach the end of the unit.
6. Complete the review/practice test on your own paper.
7. Take the unit exam.

9.1 Exponents  
9.1a Product Rule

$$a^3 \cdot a^2 =$$

Product Rule:  $a^m \cdot a^n =$

---

**Example 1:**

$$(2x^3)(4x^2)(-3x)$$

**Q1:**

---

**Example 2:**

$$(5a^3b^7)(2a^9b^2c^4)$$

---

**Q2:**

## 9.1b Quotient Rule

$$\frac{a^5}{a^3} =$$

Quotient Rule:  $\frac{a^m}{a^n} =$

---

**Example 1:**

$$\frac{a^7 b^2}{a^3 b}$$

**Q1:**

---

**Example 2:**

$$\frac{8m^7 n^4}{-6m^5 n}$$

---

**Q2:**

## 9.1c Power Rules

$$(ab)^3 =$$

Power of a Product:  $(ab)^m =$

$$\left(\frac{a}{b}\right)^3 =$$

Power of a Quotient:  $\left(\frac{a}{b}\right)^m =$

$$(a^2)^3 =$$

Power of a Power:  $(a^m)^n =$

---

**Example 1:**

$$(5a^4b)^3$$

**Q1:**

**Example 2:**

$$\left(\frac{-5m^3}{9n^4}\right)^2$$

**Q2:**

## 9.1d Zero Exponent

$$\frac{a^3}{a^3} =$$

Zero Power Rule:  $a^0 =$

---

**Example 1:**

$$(5x^3yz^5)^0$$

**Q1:**

---

**Example 2:**

$$(3x^2y^0)(5x^0y^4)(x^2y^3)$$

---

**Q2:**

## 9.1e Negative Exponents

$$\frac{a^3}{a^5} =$$

Negative Exponent Rules:  $a^{-m} =$

$$\frac{1}{a^m} =$$

$$\left(\frac{a}{b}\right)^{-m} =$$

---

**Example 1:**

$$\frac{2}{5a^{-4}}$$

**Q1:**

---

**Example 2:**

$$\frac{7x^{-5}}{3^{-1}yz^{-4}}$$

---

**Q2:**



## 9.1f Properties

$$a^m a^n =$$

$$\left(\frac{a}{b}\right)^m =$$

$$a^{-m} =$$

$$\frac{a^m}{a^n} =$$

$$(a^m)^n =$$

$$\frac{1}{a^{-m}} =$$

$$(ab)^m =$$

$$a^0 =$$

$$\left(\frac{a}{b}\right)^{-m} =$$

To Simplify

---

**Example 1:**

$$(4x^{-5}y^2z)^2(2x^4y^{-2}z^3)^4$$

**Q1:**

**Example 2:**

$$\frac{(2x^2y^{-3})^{-4}(x^4y^{-6})^{-2}}{(x^{-6}y^4)^2}$$

**Q2:**



You have completed the videos for 9.1 Exponents. On your own paper, complete the homework assignment.

## 9.2 Scientific Notation

### 9.2a Convert Scientific and Standard Notation

$$a \times 10^b$$

$a$  is

$b$  is

$b$  positive

$b$  negative

---

**Example 1:**

Convert to Standard Notation

$$5.23 \times 10^5$$

**Q1:**

---

---

**Example 2:**

Convert to Standard Notation

$$4.25 \times 10^{-4}$$

**Q2:**

---

---

**Example 3:**

Convert to Scientific Notation

$$81,500,000$$

**Q3:**

---

---

**Example 4:**

Convert to Scientific Notation

$$0.0000245$$

**Q4:**

## 9.2b Almost Scientific Notation

Put the number in front in \_\_\_\_\_.

Then use \_\_\_\_\_ on the 10's.

---

**Example 1:**

$$523.6 \times 10^{-8}$$

**Q1:**

---

**Example 2:**

$$0.0032 \times 10^5$$

---

**Q2:**

## 9.2c Multiply or Divide

Multiply/Divide the \_\_\_\_\_.

Then use \_\_\_\_\_ on the 10's.

---

**Example 1:**

$$(3.4 \times 10^5)(2.7 \times 10^{-2})$$

**Q1:**

---

**Example 2:**

$$\frac{5.32 \times 10^4}{1.9 \times 10^{-3}}$$

---

**Q2:**

## 9.2d Multiply or Divide where Answer is not in Scientific Notation

If our final answer is not in scientific notation we must \_\_\_\_\_.

---

**Example 1:**

$$(6.7 \times 10^{-6})(5.2 \times 10^{-3})$$

**Q1:**

---

**Example 2:**

$$\frac{2.352 \times 10^{-6}}{8.4 \times 10^{-2}}$$

---

**Q2:**

## 9.2e Multiply and Divide

Multiply/Divide the \_\_\_\_\_.

Then use \_\_\_\_\_ on the 10's.

---

**Example 1:**

$$\frac{(4.2 \times 10^4)(8.1 \times 10^{-6})}{1.4 \times 10^5}$$

**Q1:**

---

**Example 2:**

$$\frac{2.01 \times 10^{-5}}{(1.5 \times 10^{-3})(3.2 \times 10^{-4})}$$

---

**Q2:**



You have completed the videos for 9.2 Scientific Notation. On your own paper, complete the homework assignment.

## 9.3 Advanced Scientific Notation

### 9.3a Using the Calculator

To enter scientific notation on your calculator, use the \_\_\_\_\_ button. Write your answer in scientific notation.

---

#### Example 1:

The population of India is about  $1.338 \times 10^9$  people. The population of China is about  $1.418 \times 10^9$  people. How many more people live in China?

Q1:

---

#### Example 2:

The mass of an electron is  $9.109 \times 10^{-31}$  kg. The mass of a proton is  $1.6726 \times 10^{-27}$  kg. How many times more massive is the proton than the electron?

---

Q2:

## 9.3b Entering Exponents

To apply an exponent to a number written in scientific notation first surround the number with \_\_\_\_\_, then use the \_\_\_\_\_ key to enter your exponent. Write your answer in scientific notation.

---

### Example 1:

Evaluate:

$$(3.726 \times 10^{-12})^3$$

Q1:

---

### Example 2:

A center pivot irrigation system waters a circle of land. The radius of the circle is  $1.32 \times 10^3$  ft. What is the area that is irrigated?



---

Q2:



### 9.3c Order of Operations

Remember to apply order of operations when evaluating expressions. Use \_\_\_\_\_ around the entire \_\_\_\_\_ and \_\_\_\_\_ when evaluating fractions containing multiple operations. Write your answer in scientific notation.

---

#### Example 1:

Simplify:


$$\frac{3.94 \times 10^{12} - (1.08 \times 10^5)^2}{(5.86 \times 10^{-10})(3.976 \times 10^3)}$$

#### Q1:

---

#### Example 2:

A farmer has a square plot of land that is  $8.6 \times 10^2$  m on each side. A center pivot irrigation system waters a circle of radius  $4.3 \times 10^2$  m centered in the middle of the square. How much of the land is not irrigated?



#### Q2:

---



You have completed the videos for 9.3 Advanced Scientific Notation. On your own paper, complete the homework assignment.

## 9.4 Add, Subtract, Multiply Polynomials

### 9.4a Evaluate

Term:

Monomial:

Binomial:

Trinomial:

Polynomial:

Evaluate:

---

**Example 1:**

$$5x^2 - 2x + 6 \text{ when } x = -2$$

**Q1:**

---

**Example 2:**

$$-x^2 + 2x - 7 \text{ when } x = 4$$

---

**Q2:**

## 9.4b Add

To add polynomials:

To subtract polynomials:

---

**Example 1:**

$$(5x^2 - 7x + 9) + (2x^2 + 5x - 14)$$

**Q1:**

---

**Example 2:**

$$(3x^3 - 4x + 7) - (8x^3 + 9x - 2)$$

---

**Q2:**

## 9.4c Multiply Monomial by Polynomial

To multiply a monomial by a polynomial:

---

**Example 1:**

$$5x^2(6x^2 - 2x + 5)$$

**Q1:**

---

**Example 2:**

$$-3x^4(6x^3 + 2x - 7)$$

---

**Q2:**

## 9.4d Multiply Binomials

To multiply a binomial by a binomial:

This is often called \_\_\_\_\_ which stands for \_\_\_\_\_.

---

**Example 1:**

$$(4x - 2)(5x + 1)$$

**Q1:**

---

**Example 2:**

$$(3x - 7)(2x - 8)$$

---

**Q2:**

## 9.4e Multiply Trinomials

Multiplying trinomials is just like \_\_\_\_\_ we just have \_\_\_\_\_.

---

**Example 1:**

$$(3x - 4)(9x^2 + 12x + 16)$$

**Q1:**

---

**Example 2:**

$$(2x^2 - 6x + 1)(4x^2 - 2x - 6)$$

---

**Q2:**

## 9.4f Multiply Monomials and Binomials

Multiply \_\_\_\_\_ first, then \_\_\_\_\_ the \_\_\_\_\_.

---

**Example 1:**

$$4(2x - 4)(3x + 1)$$

**Q1:**

---

**Example 2:**

$$3x(x - 6)(2x + 5)$$

---

**Q2:**

## 9.4g Multiply Sum and Difference

$$(a+b)(a-b)=$$

Sum and Difference Shortcut

---

**Example 1:**

$$(x+5)(x-5)$$

**Q1:**

---

**Example 2:**

$$(5x-2)(5x+2)$$

---

**Q2:**



## 9.4h Perfect Squares

$$(a + b)^2 =$$

Notice that  $(a + b)^2$  is \_\_\_\_\_  $a^2 + b^2$ . That is to say,  $(a + b)^2 \neq a^2 + b^2$

Perfect Square Shortcut:

---

**Example 1:**

$$(x - 4)^2$$

**Q1:**

---

**Example 2:**

$$(2x + 7)^2$$

---

**Q2:**



You have completed the videos for 9.4 Add, Subtract, Multiply Polynomials. On your own paper, complete the homework assignment.

## 9.5 Polynomial Long Division

### 9.5a Division by Monomials

To divide a polynomial by a monomial we \_\_\_\_\_ each \_\_\_\_\_ by the \_\_\_\_\_.

---

**Example 1:**

$$\frac{3x^5 + 18x^4 - 9x^3}{3x^2}$$

**Q1:**

---

**Example 2:**

$$\frac{15a^6 - 25a^5 + 5a^4}{5a^4}$$

---

**Q2:**

## 9.5b Review Long Division

Long Division Review:

$$5 \overline{)2632}$$

---

**Example 1:**

$$\frac{5737}{6}$$

---

**Q1:**

## 9.5c Division by Binomial

Follow the same pattern as \_\_\_\_\_.

On the division step focus only on the \_\_\_\_\_.

---

**Example 1:**

$$\frac{x^3 - 2x^2 - 15x + 30}{x + 4}$$

**Q1:**

---

**Example 2:**

$$\frac{4x^3 - 6x^2 + 12x - 5}{2x - 1}$$

---

**Q2:**

## 9.5d Division with Missing Term

The exponents MUST \_\_\_\_\_.

If one is missing, we will add \_\_\_\_\_.

---

**Example 1:**

$$\frac{3x^3 - 50x + 4}{x - 4}$$

**Example 2:**

$$\frac{2x^3 + 4x^2 + 9}{x + 3}$$

Q1:

Q2:



You have completed the videos for 9.5 Polynomial Long Division. On your own paper, complete the homework assignment.




Congratulations! You made it through the material for Unit 9: Polynomials. It is time to prepare for your exam. On a separate sheet of paper, complete the review/practice test. Once you have completed the review/practice test, ask your instructor to take the test. Good luck!

# Unit 10:

# Factoring

To work through the unit, you should:

1. Watch a video, as you watch, fill out the workbook (top and example sections).
2. Complete Q1 and Q2 in WAMAP, put your work in the right column of the page.
3. Repeat #1 and #2 with each page until you reach the .
4. Complete the homework assignment on your own paper.
5. Repeat #1 thru #4 until you reach the end of the unit.
6. Complete the review/practice test on your own paper.
7. Take the unit exam.

## 10.1 Factor Common Factors and Grouping

### 10.1a Find a GCF

Greatest Common Factor: \_\_\_\_\_ factor that \_\_\_\_\_ into each term

On variables we use the \_\_\_\_\_ exponent

---

#### Example 1:

Find the common factor:

$$15a^4 + 10a^2$$

#### Q1:

---

#### Example 2:

Find the common factor

$$4a^4b^7 - 12a^2b^6 + 20ab^9$$

---

#### Q2:



## 10.1b Factor a GCF

Factor:

$$a(b+c)=$$

Put the \_\_\_\_\_ in front and divide each \_\_\_\_\_. What is left goes into the \_\_\_\_\_.

---

**Example 1:**

$$9x^4 - 12x^3 + 6x^2$$

**Q1:**

---

**Example 2:**

$$21a^4b^5 - 14a^3b^7 + 7a^2b^4$$

---

**Q2:**

## 10.1c Binomial GCF

The GCF can be a \_\_\_\_\_.

---

**Example 1:**

$$5x(2y-7)+6y(2y-7)$$

**Q1:**

---

**Example 2:**

$$3x(2x+1)-7(2x+1)$$

---

**Q2:**

## 10.1d Grouping

Grouping: GCF of the \_\_\_\_\_ and \_\_\_\_\_

Then factor out the \_\_\_\_\_ (if it matches)

---

**Example 1:**

$$15xy + 10y - 18x - 12$$

**Q1:**

---

**Example 2:**

$$6x^2 + 3xy + 2x + y$$

---

**Q2:**

## 10.1e Grouping with Change of Order

If the binomials don't match:

---

**Example 1:**

$$12a^2 - 7b + 3ab - 28a$$

**Q1:**

---

**Example 2:**

$$6xy - 20 + 8x - 15y$$

---

**Q2:**



You have completed the videos for 10.1 Factor Common Factors and Grouping. On your own paper, complete the homework assignment.

## 10.2 Factor Trinomials

### 10.2a Reverse FOIL

Recall FOIL:  $(a+b)(c+d) =$

\_\_\_\_\_ multiplies to \_\_\_\_\_ and \_\_\_\_\_ multiplies to \_\_\_\_\_

The \_\_\_\_\_ and \_\_\_\_\_ must add to the \_\_\_\_\_

This may take some \_\_\_\_\_

---

**Example 1:**

$$3x^2 + 11x + 10$$

**Q1:**

---

**Example 2:**

$$12x^2 + 16x - 3$$

---

**Q2:**

## 10.2b Two Variables

Be aware of \_\_\_\_\_ variables when using reverse \_\_\_\_\_

---

**Example 1:**

$$12x^2 - 5xy - 2y^2$$

**Q1:**

---

**Example 2:**

$$6x^2 - 17xy + 10y^2$$

---

**Q2:**

Always factor the \_\_\_\_\_ first!

---

**Example 1:**

$$18x^4 - 21x^3 - 15x^2$$

**Q1:**

---

**Example 2:**

$$16x^3 + 28x^2y - 30xy^2$$

---

**Q2:**

## 10.2d Without a Leading Coefficient

If the leading coefficient (in front of  $x^2$ ) is a 1, then the two numbers will \_\_\_\_\_ to the \_\_\_\_\_

Note: This only works if the leading coefficient is \_\_\_\_\_

---

**Example 1:**

$$x^2 - 2x - 8$$

**Q1:**

---

**Example 2:**

$$x^2 + 7xy - 8y^2$$

---

**Q2:**



## 10.2e Introduction to Radicals

A radical sign looks like this: \_\_\_\_\_ where a square root has an understood index of \_\_\_\_\_ and all other roots \_\_\_\_\_ of the radical sign.

Radicals \_\_\_\_\_

$$\sqrt[3]{4^3} =$$

$$\sqrt{25} =$$

$$\sqrt{6} =$$

Simplify radicals, by break down the numbers using \_\_\_\_\_

Eliminate \_\_\_\_\_ where possible, meaning if the exponent is greater than or equal to the index.

Multiply numbers \_\_\_\_\_ back together if there is no more simplification possible.

---

**Example 1:**

Simplify the radical:  $\sqrt{343}$

**Q1:**

---

**Example 2:**

Simplify the radical:  $\sqrt[3]{144}$

---

**Q2:**

## 10.2f Radicals and Fractional Exponents

The exponent becomes the \_\_\_\_\_ in the fractional exponent.

The index becomes the \_\_\_\_\_ in the fractional exponent.

Remember to \_\_\_\_\_ fractional exponents whenever possible.

---

### Example 1:

Simplify using fractional exponents:

$$\sqrt[4]{x^{12}}$$

---

Q1:

---

### Example 2:

Write as a radical:

$$5^{\frac{5}{8}}$$

---

Q2:

---

### Example 3:

Simplify using fractional exponents:

$$\sqrt[3]{64}$$

---

Q3:

---



You have completed the videos for 10.2 Factor Trinomials. On your own paper, complete the homework assignment.

## 10.3 Factoring Tricks

### 10.3a Perfect Squares

$$(a+b)^2 =$$

If we can take the square root of the first and last term it \_\_\_\_\_ be a \_\_\_\_\_

---

**Example 1:**

$$x^2 - 10x + 25$$

**Q1:**

---

**Example 2:**

$$9x^2 + 30xy + 25y^2$$

---

**Q2:**

## 10.3b Difference of Squares

$$(a+b)(a-b)=$$

Difference of Squares:

---

**Example 1:**

$$a^2 - 81$$

**Q1:**

---

**Example 2:**

$$49x^2 - 25y^2$$

---

**Q2:**

### 10.3c Sum of Squares

Factor:  $a^2 + b^2$

Sum of squares is always \_\_\_\_\_ (this means it \_\_\_\_\_ be factored)

---

**Example 1:**

$$x^2 + 9$$

**Q1:**

---

**Example 2:**

$$32a^2b + 50b^3$$

---

**Q2:**

### 10.3d Sum and Difference of Cubes

Sum of Cubes:  $a^3 + b^3 =$

Difference of Cubes:  $a^3 - b^3 =$

Some cubes worth memorizing:

---

**Example 1:**

$$m^3 + 125$$

**Q1:**

---

**Example 2:**

$$8a^3 - 27y^3$$

---

**Q2:**

### 10.3e Difference of 4<sup>th</sup> Powers

The square root of  $x^4$  is \_\_\_\_\_

With fourth powers we can use \_\_\_\_\_ twice!

---

**Example 1:**

$$a^4 - 16$$

**Q1:**

---

**Example 2:**

$$81x^4 - 256$$

---

**Q2:**

### 10.3f Difference of 6<sup>th</sup> Powers

The square root of  $x^6$  is \_\_\_\_\_ and the cubed root of  $x^6$  is \_\_\_\_\_

A difference of 6<sup>th</sup> powers may be a difference of \_\_\_\_\_ or a difference of \_\_\_\_\_

Use the \_\_\_\_\_ to decide which formula to use.

---

**Example 1:**

$$x^6 - 49y^6$$

**Q1:**

---

**Example 2:**

$$8a^6 - 27b^6$$

---

**Q2:**



## 10.3g With GCF

Always factor the \_\_\_\_\_ first!

---

**Example 1:**

$$9x^3 - 81x$$

**Q1:**

---

**Example 2:**

$$2x^2y - 12xy + 18y$$

---

**Q2:**



You have completed the videos for 10.3 Factoring Tricks. On your own paper, complete the homework assignment.

## 10.4 Factoring Strategy

Always factor the \_\_\_\_\_ first!

2 terms

3 terms

4 terms

---

**Example 1:**

Which method would you use?

$$25x^2 - 16$$

---

**Q2:**

---

**Example 2:**

Which method would you use?

$$x^2 - x - 20$$

---

**Q3:**

---

**Example 3:**

Which method would you use?

$$xy + 2y + 5x + 10$$

---

**Q4:**

---

**Q1:**

**Q5:**



You have completed the videos for 10.4 Factoring Strategy. On your own paper, complete the homework assignment.

## 10.5 Solving Equations by Factoring

### 10.5a Zero Product Rule

Zero Product Rule: if  $ab=0$  then \_\_\_\_\_

To solve we set each \_\_\_\_\_ equal to \_\_\_\_\_

---

#### Example 1

$$(5x-1)(2x+5)=0$$

Q1:

---

#### Example 2:

$$2x(x-6)(2x+3)=0$$

---

Q2:

## 10.5b Solve by Factoring

If there is an  $x^2$  and an  $x$  in the equation, we need to \_\_\_\_\_ before we \_\_\_\_\_

---

**Example 1:**

$$x^2 - 4x - 12 = 0$$

**Q1:**

---

**Example 2:**

$$3x^2 + x - 4 = 0$$

---

**Q2:**

## 10.5c Must Equal Zero

Before we factor, the equation must equal \_\_\_\_\_

To make factoring easier, we want the \_\_\_\_\_ term to be \_\_\_\_\_

---

**Example 1:**

$$5x^2 = 2x + 16$$

**Q1:**

---

**Example 2:**

$$-2x^2 = x - 3$$

---

**Q2:**

## 10.5d Simplify First

Before we make the equation equal zero, we may have to \_\_\_\_\_ first!

---

**Example 1:**

$$2x(x+4) = 3x - 3$$

**Q1:**

---

**Example 2:**

$$(2x - 3)(3x + 1) = -8x - 1$$

---

**Q2:**

## 10.5e GCFs as Factors

When solving do not forget that the \_\_\_\_\_ is a \_\_\_\_\_ also.

If there is no \_\_\_\_\_ in the GCF then we can \_\_\_\_\_ it.

---

**Example 1:**

$$4x^3 - 12x^2 = 40x$$

**Q1:**

---

**Example 2:**

$$6x^2 = 36 - 15x$$

---

**Q2:**

## 10.5f Factoring the Variable

Distributive property in reverse (Factor):  $ab + ac =$

Put all terms with the variable on one \_\_\_\_\_ and the other terms on the \_\_\_\_\_

Factor out the \_\_\_\_\_ and then \_\_\_\_\_ to isolate

---

**Example 1:**

$$\text{Solve } \frac{ax+b}{c} = x+d, \text{ for } x$$

**Q1:**

---

**Example 2:**

$$\text{Solve } A = \pi r^2 + \pi r l \text{ for } \pi$$

---

**Q2:**



You have completed the videos for 10.5 Solving Equations by Factoring. On your own paper, complete the homework assignment.



## 10.6 Quadratic Formula

### 10.6a Using the Formula

If  $ax^2 + bx + c = 0$  the  $x =$

---

**Example 1:**

$$6x^2 + 7x - 3 = 0$$

**Q1:**

---

**Example 2:**

$$-5x^2 - x + 2 = 0$$

---

**Q2:**

## 10.6b Make Equation Equal Zero

Before using the quadratic formula, the equation must equal \_\_\_\_\_ and be in \_\_\_\_\_

That is the equation should look like:

---

**Example 1:**

$$2x^2 = 15 - 7x$$

**Q1:**

---

**Example 2:**

$$3x^2 + 5x + 2 = 7$$

---

**Q2:**

## 10.6c Missing Terms

If a term is missing, we use \_\_\_\_\_ in the quadratic formula, factoring or the square root of both sides.

---

**Example 1:**

$$5x^2 = 2x$$

---

**Example 2:**

$$3x^2 - 51 = 0$$

---

**Example 3:**

$$5x^2 = 23$$

**Example 4:**

$$-2x^2 + 31 = 0$$

---

**Q1:**

---

**Q2:**

---



You have completed the videos for 10.6 Quadratic Formula. On your own paper, complete the homework assignment.




Congratulations! You made it through the material for Unit 10: Factoring. It is time to prepare for your exam. On a separate sheet of paper, complete the practice test. Once you have completed the practice test, ask your instructor to take the test. Good luck!

# Unit 11:

## Rational Expressions

To work through the unit, you should:

1. Watch a video, as you watch, fill out the workbook (top and example sections).
2. Complete Q1 and Q2 in WAMAP, put your work in the right column of the page.
3. Repeat #1 and #2 with each page until you reach the .
4. Complete the homework assignment on your own paper.
5. Repeat #1 thru #4 until you reach the end of the unit.
6. Complete the review/practice test on your own paper.
7. Take the unit exam.

11.1 Evaluate Functions  
11.1a Evaluate Functions – Functions

Function:


If it is a function, we often write \_\_\_\_ which is read \_\_\_\_\_

A graph is a function if it passes the \_\_\_\_\_, or each \_\_\_\_ has at most one \_\_\_\_


---

**Example 1:**

Is the graph a function?




**Q1:**




**Example 2:**

Is the graph a function?



**Q2:**



## 11.1b Function Notation

Function notation:

What is inside of the function \_\_\_\_\_ the \_\_\_\_\_

---

**Example 1:**

$$f(x) = -x^2 + 2x - 5$$

Find  $f(3)$

**Q1:**

---

**Example 2:**

$$g(x) = \sqrt{2x + 5}$$

Find  $g(20)$

---

**Q2:**

## 11.1c Evaluate Function at an Expression

When replacing a variable, we always use \_\_\_\_\_

What is inside of the function \_\_\_\_\_ the \_\_\_\_\_

---

**Example 1:**

$$f(x) = \sqrt{2x} + 3x$$

Find  $f(8x^2)$

**Q1:**

---

**Example 2:**

$$p(n) = n^2 - 2n + 5$$

Find  $p(n-3)$

---

**Q2:**

## 11.1d Domain

Domain:

Fractions:

Even Radicals:

Whenever you divide an inequality by a negative you must \_\_\_\_\_

---

**Example 1:**

Find the domain:

$$f(x) = 3\sqrt[4]{-3x-9} + 4$$

---

**Q1:**

---

**Example 2:**

Find the domain:

$$g(x) = 3|2x+7|^2 - 4$$

---

**Q2:**

---

**Example 3:**

Find the domain:

$$h(x) = \frac{x-1}{x^2-x-2}$$

**Q3:**





**You have completed the videos for 11.1 Evaluate Functions. On your own paper, complete the homework assignment.**

## 11.2 Exponential Equations

### 11.2a With Common Base

Exponential functions:

Solving exponential functions: If the \_\_\_\_\_ are equal then the \_\_\_\_\_ are equal.

---

**Example 1:**

$$7^{3x-6} = 7^{5x+2}$$

**Q1:**

---

**Example 2:**

$$4^{5-x} = 4^{3x}$$

---

**Q2:**

## 11.2b Find a Common Base

If we don't have a common base, then we find the \_\_\_\_\_ of the base

Recall exponent property:  $(a^m)^n =$

When using the above property, we may have to \_\_\_\_\_

---

**Example 1:**

$$27^{2x} = 9$$

**Q1:**

---

**Example 2:**

$$8^{2x-4} = 16^{x+3}$$

---

**Q2:**

## 11.2c With Negative Exponents

Fractions are created by \_\_\_\_\_

---

**Example 1:**

$$\left(\frac{1}{3}\right)^x = 81^{4x}$$

**Q1:**

---

**Example 2:**

$$\left(\frac{1}{25}\right)^{3x-1} = 125^{4x+2}$$

---

**Q2:**



You have completed the videos for 11.2 Exponential Equations. On your own paper, complete the homework assignment.

## 11.3 Logarithms

### 11.3a Convert Between Logs and Exponents

Logarithm:

$b^x = a$  can be written as \_\_\_\_\_

---

**Example 1:**

Write as a log:

$$m^2 = 25$$

**Q1:**

---

**Example 2:**

Write as an exponent:

$$\log_x 64 = 2$$

---

**Q2:**

## 11.3b Evaluate Logs

To evaluate a log: make the equation \_\_\_\_\_ and convert to an \_\_\_\_\_

---

**Example 1:**

$$\log_4 64$$

**Q1:**

---

**Example 2:**

$$\log_3 \left( \frac{1}{81} \right)$$

---

**Q2:**

### 11.3c Solve Log Equations

To solve a log equation: convert to an \_\_\_\_\_

---

**Example 1:**

$$\log_x 8 = 3$$

**Q1:**

---

**Example 2:**

$$\log_5(2x - 6) = 2$$

---

**Q2:**

## 11.3d pH

In chemistry, pH is a measure of \_\_\_\_\_

pH = \_\_\_\_\_

---

### Example 1:

Lemons have a pH of 2. Find the concentration of

$[H^+]$

Q1:

---

### Example 2:

Soda has a hydrogen concentration of  $3.16 \times 10^{-3}$  moles/L. What is the pH?

Q2:



You have completed the videos for 11.3 Logarithms. On your own paper, complete the homework assignment.



## 11.4 Graphs of Exponential and Logarithmic Functions

### 11.4a Exponential Functions

To graph an exponential function, you can \_\_\_\_\_ to find \_\_\_\_\_ on the graph.

---

#### Example 1:

Graph  $y=2^x$

$x$	$y$
-2	
-1	
0	
1	
2	

Q1:

---

Q2:

---

#### Example 2:

Graph  $y=5^x$

$x$	$y$
-2	
-1	
0	
1	
2	

## 11.4b More Graphs of Exponential Functions

When evaluating exponential functions remember to use the \_\_\_\_\_.

---

### Example 1:

Graph  $y = 10(2^x)$

$x$	$y$
-1	
0	
1	
2	

Q1:

---

### Example 2:

Graph  $y = \left(\frac{1}{2}\right)^x$

$x$	$y$
-1	
0	
1	
2	

---

Q2:

## 11.4c Exponential Growth and Decay

In exponential growth the y values \_\_\_\_\_ when x increases.

In exponential decay the y values \_\_\_\_\_ when x increases.

---

### Example 1:

Fill in the table. Select which form is the graph (growth/decay) sketch graph on paper.

$$y = e^x$$

x	y
-5	
0	
5	
10	
15	

Q1:

---

### Example 2:

Fill in the table. Select which form is the graph (growth/decay) sketch graph on paper.

$$y = 15e^{0.05x}$$

x	y
-5	
0	
5	

Q2:

---

## 11.4d Logarithmic Function Graphs

The argument of a logarithm must be \_\_\_\_\_. Logarithm functions have a \_\_\_\_\_.

---

### Example 1:

Fill in table, plot points and sketch on paper.

$$y = \log(x)$$

x	y
10	
2	
1	
0.5	
0.25	
0	
-1	

### Example 2:

Fill in table, plot points and sketch on paper.

$$y = \ln(x) = \log_e x$$

x	y
10	
2	
1	
0.5	
0.25	
0	
-1	

Q1:

Q2:



You have completed the videos for 11.4 Graphs of Exponential and Logarithmic Functions. On your own paper, complete the homework assignment.

11.5 Interest  
11.5a N Compound a Year

Compound interest:

$$n \text{ compounds per year: } A = P \left( 1 + \frac{r}{n} \right)^{nt}$$

$A =$

$P =$

$r =$

$n =$

$t =$

---

**Example 1:**

Suppose you invest \$13,000 in an account that pays 8% interest compounded monthly. How much would be in the account after 9 years?

**Q1:**

---

**Example 2:**

A bank loans out \$800 at 3% interest compounded quarterly. If the loan is paid in full after five years, what is the balance owed

---

**Q2:**

## 11.5b Continuous Interest

Continuous interest:

$$A = Pe^{rt}$$

$$A =$$

$$P =$$

$$e =$$

$$r =$$

$$t =$$

---

### Example 1:

An investment of \$25,000 is at an interest rate of 11.5% compounded continuously. What is the balance after 20 years?

Q1:

---

### Example 2:











What is the balance at the end of 10 years on an investment of \$13,000 at 4% compounded continuously?

Q2:



You have completed the videos for 11.5 Interest. On your own paper, complete the homework assignment.

# Geometric Formulas

Name	Diagram	Area
Rectangle		$A = lw$ $P = 2l + 2w$
Parallelogram		$A = bh$
Triangle		$A = \frac{1}{2}bh$
Trapezoid		$A = \frac{1}{2}h(a + b)$
Circle		$A = \pi r^2$ $C = \pi d = 2\pi r$
Name	Diagram	Volume
Rectangular Solid		$V = lwh$
Right Circular Cylinder		$V = \pi r^2 h$
Right Circular Cone		$V = \frac{1}{3}\pi r^2 h$
Sphere		$V = \frac{4}{3}\pi r^3$
Right Triangle		
Pythagorean Theorem: $a^2 + b^2 = c^2$		



# Conversion Factors

LENGTH	
<b>English</b>	<b>Metric (meter)</b>
12 in = 1 ft 3 ft = 1 yd 1 mi = 5280 ft	1000 mm = 1 m 100 cm = 1 m 10 dm = 1 m 1 dam = 10 m 1 hm = 100 m 1 km = 1000 m
<b>English to Metric</b>	
1 in = 2.54 cm	

TEMPERATURE
$C = \frac{5(F - 32)}{9}$
$F = \frac{9}{5}C + 32$

VOLUME	
<b>English</b>	<b>Metric (liter)</b>
8 fl oz = 1 cup (c) 2 cups (c) = 1 pint (pt) 2 pints (pt) = 1 quart (qt) 4 quarts (qt) = 1 gallon (gal)	1000 mL = 1 L 100 cL = 1 L 10 dL = 1 L 1 daL = 10 L 1 hL = 100 L 1 kL = 1000 L 1 mL = 1 cc = 1 cm <sup>3</sup>
<b>English to Metric</b>	
1 gallon (gal) = 3.79 liter (L) 1 in <sup>3</sup> = 16.39 mL	

TIME
60 seconds (sec) = 1 minute (min) 60 minutes (min) = 1 hour (hr) 24 hours (hr) = 1 day 52 weeks = 1 year 365 days = 1 year

WEIGHT (MASS)	
<b>English</b>	<b>Metric (gram)</b>
16 oz = 1 pound (lb) 2,000 lb = 1 Ton (T)	1000 mg = 1 g 100 cg = 1 g 10 dg = 1 g 1 dag = 10 g 1 hg = 100 g 1 kg = 1000 g
<b>English to Metric</b>	
2.20 lb = 1 kg	

INTEREST
Simple: $I = Prt$ Continuous: $A = Pe^{rt}$ Compound: $A = P\left(1 + \frac{r}{n}\right)^{nt}$ Annual: $n = 1$ Semiannual: $n = 2$ Quarterly: $n = 4$

## 11.6 Dimensional Analysis

### 11.6a U.S. Customary

Dimensional analysis is the use of \_\_\_\_\_, which are always equal to \_\_\_\_\_.

---

#### Example 1:

Convert 2.1 miles to yards

#### Q1:

---

#### Example 2:

Convert 61.6 furlongs to miles.  
(1 furlong = 220 yards)

---

#### Q2:

## 11.6b Metric

Metric conversions all consist of moving \_\_\_\_\_.

---

### Example 1:

Convert 3171 milliliters to liters.

Q1:

---

### Example 2:

Convert 12 hectometers to centimeters.  
(1 hectometer = 100 meters)

---

Q2:

## 11.6c Metric ↔ U.S. Customary

For length, the only exact conversion is that \_\_\_\_\_

---

### **Example 1:**

Your car has a gas tank that can contain 16 gallons.  
How many liters can it contain?

**Q1:**

---

### **Example 2:**

You decide to run a 5K, which is 5 kilometers. How  
many miles did you run?

---

**Q2:**

## 11.6d Higher Powers

We apply the \_\_\_\_\_ to both sides of \_\_\_\_\_.

---

### Example 1:

A basketball has a volume of 455.9 cubic inches.  
Convert this to cubic centimeters

Q1:

---

### Example 2:

Moses Lake has a land area of 18.75 square miles.  
Convert this to square feet.

---

Q2:

## 11.6e Area/Volume Units

Some units of \_\_\_\_\_ and \_\_\_\_\_ have no length equivalents.

A \_\_\_\_\_ is the same as a \_\_\_\_\_.

---

### Example 1:

A dosage for a certain liquid medicine is 15 cc.  
Convert this to fluid ounces.

Q1:

---

### Example 2:

The average American farm has 434 acres of land.  
Convert this to hectares.  
(1 ha = 10,000 m<sup>2</sup>)  
(1 ac = 43,560 ft<sup>2</sup>)

Q2:



You have completed the videos for 11.6 Dimensional Analysis. On your own paper, complete the homework assignment.

11.7 Applied Dimensional Analysis  
11.7a Dual Unit Conversions

Dual Unit:

“Per” is the \_\_\_\_\_

With dual units we convert \_\_\_\_\_

---

**Example 1:**

Convert 100 ft per sec to mi per hr

**Q1:**

---

**Example 2:**

Convert 8 miles per hr<sup>2</sup> to ft per sec<sup>2</sup>

---

**Q2:**

## 11.7b Rates

To convert rates, we handle the units of the \_\_\_\_\_ and \_\_\_\_\_ separately.

---

### Example 1:

A normal amount of blood sugar in glucose is 108 milligrams per deciliter. Find the equivalent in millimoles per liter. Glucose has a molar mass of 180.156 grams per mole.

Q1:

---

### Example 2:

Oceanographers commonly measure flow of ocean currents in Sverdrups, which is equal to 1 million cubic meters per second. Globally, the flow of fresh water from rivers into the ocean is about 1.2 Sverdrups. Find this in cubic miles per day.

---

Q2:



## 11.7c Chemistry Applications

With more complicated dimensional analysis problems, we start with a \_\_\_\_\_ and use \_\_\_\_\_ to find its \_\_\_\_\_ or \_\_\_\_\_.

---

### Example 1:

How many molecules are in 1 deciliter of water?

Q1:

---

### Example 2:

Convert 451.4g Pb to grams of PbO

Use the following conversions:

207.2g Pb = 1 mol Pb

2 mol Pb = 3 mol PbO

1 mol PbO = 232.g PbO

---

Q2:

## 11.7d Physics Applications

With more complicated dimensional analysis problems, we start with a \_\_\_\_\_ and use \_\_\_\_\_ to find its \_\_\_\_\_ or \_\_\_\_\_.

---

### Example 1:

The acceleration of an object moving through space was measured at  $91 \text{ feet/min}^2$ . What is this in  $\text{meters/sec}^2$ ?

Q1:

---

### Example 2:

A car's "footprint" is a square about 5.89 inches on one side. Estimate the average pressure beneath one tire, due to the weight of the car.

Car weight = 5.47 tons

Q2:



**You have completed the videos for 11.7 Applied Dimensional Analysis. On your own paper, complete the homework assignment.**



**Congratulations! You made it through the material for Unit 11 Rational Expressions. It is time to prepare for your exam. On a separate sheet of paper, complete the practice test. Once you have completed the practice test, ask your instructor to take the test. Good luck!**

# **Unit 12:**

## **Proficiency Exam #2**

To work through this unit, you should:

1. Complete the review/practice tests on your own paper. (There is a part A and part B.)
2. Take the (two-part) unit exam.